



AutoProPAD G2

AutoProPAD G2
Turbo

The Next Generation is Now

XTOOL USA

autopropad.com

Declaration

1. This manual is intended for use with the AutoProPAD G2 & AutoProPAD G2 Turbo key programmers. No part of this manual shall be reproduced, stored in a retrieval system, or transmitted by any means (electronic, mechanical, photocopying, recording, or otherwise), without the prior written permission of XToolUSA®.
2. The AutoProPAD key programmer was designed for use by trained security professionals. XToolUSA®, the manufacturer, and all subsidiaries or authorized distributors (hereafter XToolUSA®) are not responsible for vehicle damage or loss caused by customer technical issues, vehicle issues, or other factors including, but not limited to improper usage of the tool.
3. Use the device only as described in this manual. The user will be solely responsible for any damages caused by improper usage. XToolUSA® will not bear legal responsibility for incorrect usage of the tool.
4. XToolUSA® shall not be liable for any incidental or consequential damages, or any economic consequential damages arising from individual users or third parties. Misuse or abuse, unauthorized repairs or modification of the device, will not be the responsibility of the manufacturer or distributor and will result in voiding the warranty.
5. All information, specifications, and illustrations in this manual are based on the latest configurations and functions available at the time of printing. XToolUSA® reserves the right to make modifications at any time and without notice.
6. In countries where the trademarks, service marks, domain names, logos, and the name of the company are not registered, XToolUSA® claims that it still reserves the ownership of the unregistered trademarks, service marks, domain names, logos, and the company name. All other marks for the other products and the company's name mentioned in the manual will belong to the original registered company. You may not use the trademarks, service marks, domain names, logos, and company name of XToolUSA® or other companies mentioned, without written permission from the trademark holder.
7. Please visit autopropad.com for more information about the AutoProPAD key programmer.
8. XToolUSA® reserves the right for the final interpretation of the contents of this document.




FRONT

1. Power Button



BACK


2. Camera




3. Serial Number and ID

4. Speaker


AutoProPAD G2 Connection



AutoProPAD G2 Turbo Connection



1. USB 3.0 Interface: Peripheral Data Transmission
2. Mini-HDMI Interface: Audio and Video Output to TV (Cable Not Included)
3. HD15 Interface: Wired OBD Connection (AutoProPAD G2 Only)
4. DC Charging Port: Device Charging w/Supplied Adapter
5. Power Button: Power On/Off
6. Ethernet Port



7. Docking Station Connector (Docking Station Sold Separately)

G2 Technical Specifications





Operating System: Android 5.1.1
Processor: Quad-Core 1.8GHz
Memory: 2GB RAM, 64GB SSD Storage
Display Size: 1024 x 768 Resolution, 8" LED Touchscreen
Camera: 8-Megapixel Autofocus w/Flash
Audio: Integrated Microphone & Speaker
Interfaces: USB 3.0, DC Charging Port, Mini-HDMI, HD15 (Hardwired OBD)
Battery: 10,000 mAh Lithium Polymer
Input Voltage: +9~+12V DC
Working Temperature: -4°F to 126°F
Relative humidity: <90%
Dimensions: 10.6" x 6.8" x 1.3"

G2 Turbo Technical Specifications



Operating System: Android 5.1.1
Processor: Quad-Core 1.8GHz
Memory: 4GB RAM, 64G SSD Storage
Display Size: 1280 x 800 Resolution, 10.1" LED Touchscreen
Camera: 8-Megapixel Autofocus w/Flash
Audio: Integrated Microphone & Speaker
Interface: USB 3.0, DC Charging Port, Ethernet Port, HD15 interface.
Battery: 13,000 mAh Lithium Polymer Battery
Input Voltage: +9~+12V DC
Working temperature: -4°F to 126°F
Relative humidity: <90%
Dimensions: 12.2" x 7.4" x 1.4"












Function	Description
	If you're an automotive locksmith, this is your quickest path to access all key & remote programming functions, but don't be afraid to explore the other settings! If you discover the vehicle has a "check engine" light after programming, use your AutoProPAD to find out why.
	Mechanics perform pre-scans before working on any car, to absolve themselves of liability for unrelated issues that existed prior to their services. Have you ever been blamed for a problem that was completely unrelated to your key programming? Cover yourself with a professional pre-scan report that can be printed or e-mailed directly from the tablet.

Function	Description
	<p>Confirm programming success and give your customer's vehicle a clean bill of health with a professional report that shows no faults found in their electronics. Elevate your game and give your customers a level of service they'd expect from their favorite mechanic.</p>
	<p>XTool first made its mark on the automotive world with their diagnostic hardware. That very same technology is packed into your AutoProPAD and is at your disposal with a tap of this button. A "check engine" light will only appear once the vehicle has started, but how can you see it if the customer lost all their keys? What if they blame you for it once your key is made? Did you screw something up while programming or are you simply getting a P0456 code on a Honda? If so, do your customer a solid and tighten their gas cap.</p>
	<p>Your AutoProPAD has a large reserve of memory to store the pre and post-scan reports that you'll accumulate over time. Add the PIN code you pulled via EEPROM to your customer's service log, so you'll have it for the next time they lose their keys. Work smarter, not harder.</p>
	<p>Change the machine language, units, screen brightness, connect to WiFi, and so much more. Try programming a car in French. Teach yourself the Metric system. If you're from Québec, you can brush up on your English and learn to convert meters to Freedom Units.</p>
	<p>A single click of this button will get your machine completely updated as long as you're connected to a hotspot and your subscription is active. If your subscription has lapsed, contact your favorite AutoProPAD distributor and get your machine back on track. Updates are added frequently, so don't let your machine stagnate. All active subs include access to our world-class, live technical support!</p>
	<p>For active subscriptions only! Click here to allow one of our technicians to take control of your machine so we can guide you through any issues you may encounter. Requires an active Internet connection.</p>






Function	Description
	Take a Screenshot
	Decrease Tablet Volume
	Return to the Previous Screen
	Page History
	Home Button
	Increase Tablet Volume
	Bluetooth (Turns Blue When Connected)
	Launch App
	Click to Record Programming Data

Quick Start


Complete the following steps to fully update and begin using your new AutoProPAD G2 or G2 Turbo.

1. **Charge Your Machine**
Connect the power supply and charge your machine until the battery indicator is full.
2. **Connect to the World Wide Web**
Press the "Settings" button and select "WiFi Networks." Select your preferred hotspot and enter your password. You are now connected to the Internet..
3. **Update**
From the home screen, press the "Update" button. From there, press "Update All." Once the updates are downloaded and installed, your AutoProPAD key programmer is ready to use.
4. **Throw Your Other Programmers in the Trash**
This is a risky move, considering that some manufacturers will ask for your old machine back YEARS after you traded it in... awkward!



AutoProPAD G2 Connection


The AutoProPAD G2 connects directly to the vehicle through the hardwired OBDII main cable, as shown in this diagram.



- 1 AutoProPAD G2 Programmer
- 2 Main Data Cable
- 3 Sweet Car From the 1990s (probably pre-transponder)
- 4 OBDII Adapter

AutoProPAD G2 Turbo Connection

The AutoProPAD G2 Turbo connects to the OBDII port through a wireless Bluetooth connection via the VCI+ box, as shown in this diagram. Connect to the vehicle and wait five seconds for pairing to the AutoProPAD G2 Turbo. You are now ready to begin programming.




Remote Access

If you've encountered any issues during the key programming process and require assistance, you can open this application for remote support, and an XToolUSA technician can take control of your machine and assist with job completion. (Requires active subscription). This system can also be used by other AutoProPAD users for community support.

1. Click the "Remote Support" button on the home screen.
2. Click the remote control icon to display the device ID
3. Click the "Send My ID" button.
4. The system will pop open a window that allows the remote party to take control of your machine.

Warning: Do not operate your AutoProPAD during the time it is being controlled remotely!



Warranty

LIMITED MANUFACTURER'S WARRANTY

XtoolUSA® warrants the AutoProPAD G2 and G2 Turbo in compliance with this certificate, in effect for 365 days from the date of purchase. In order to redeem the benefits provided to you by this warranty, this documentation must be provided in tandem with a verifiable proof of purchase, as issued by an authorized AutoProPAD G2 or G2 Turbo distributor. This warranty covers the free repair or replacement of any parts deemed faulty as a result of manufacturing defects. For the most current version of this agreement, please visit autopropad.com.

This warranty does NOT cover:

1. Damage or malfunctions caused by natural disasters or acts of God (lightning, fire, flood, earthquakes and other external causes)
2. Theft, misplacement, reckless, abusive, willful or intentional conduct associated with handling and use of the AutoProPAD G2 or G2 Turbo
3. Faulty installation, repair, or maintenance by anyone other than an AutoProPAD G2 or G2 Turbo authorized service provider
4. Damage to, or failure of unauthorized aftermarket upgrades or add-on accessories.
5. Consumer replaceable or consumable items, including but not limited to: cords, adapters, EEPROM clips, and AC power adapters.
6. Extreme environmental conditions (including extreme temperature or humidity) leading to problems such as external condensation, overheating and mold.
7. Usage outside of the permitted or intended uses, as described by the manufacturer
8. Malfunctions caused by improper operation by the machine operator
9. Damage caused by insect infestation or rodents
10. Any machine whose serial number has been altered, defaced or removed
11. Any machine whose software has been modified or altered beyond the normal scope of use
12. Damage that is secondary, or any damage that would be ordinarily covered under a primary insurance policy (e.g., car accident causes damage to the AutoProPAD G2 or G2 Turbo)
13. Protection against any other act or result not covered by this plan
14. Any resultant damage to the AutoProPAD G2 or G2 Turbo that arises from one or more conditions described above

Except for the above cases, all qualifying malfunctions are eligible for free service within the warranty period. To assure your request for service is handled efficiently, please contact XtoolUSA® customer service prior to sending us any product. We will issue you a Repair Authorization Form that must be included when shipping your product to us. Failure to do so will result in service delays.

Shipping and Handling Policy: XtoolUSA® will contribute to the cost of return shipping from our repair center, at our discretion, and only within the Continental United States. After a preliminary assessment, if your machine malfunction is determined to be not covered by this warranty, the entirety of all shipping costs will become the user's obligation. Failure to rectify any outstanding shipping or repair charges will result in return shipping delays.

continued on next page...



Limited Manufacturer's Warranty

How to Obtain Service and Support: You may obtain service by accessing our website, www.llwrc.com, or by calling us at (855) 562-5522 ext. 4006. Regular business hours are Monday through Friday from 8 am to 5 pm Pacific Standard Time.

To receive service or support, you agree to comply with each of the terms listed below:

- I. You will provide a copy of this warranty and a copy of your purchase, exchange and service receipts, if requested
- II. You will provide, to the best of your ability, information about the symptoms and causes of your issues with the AutoProPAD G2 / G2 Turbo
- III. You will respond to requests for information, including but not limited to: your product serial number, version of the software installed, any peripheral devices connected or installed on the AutoProPAD G2 /G2 Turbo , any error messages displayed, the actions which were taken before the AutoProPAD G2 / G2 Turbo experienced the issue and the steps taken to attempt resolution of the issue
- IV. You will follow instructions we give you, including but not limited to refraining from sending us products and accessories that are not subject to repair or replacement service (as listed above and packing the AutoProPAD G2 / G2 Turbo in accordance with the shipping instructions we will provide to you upon service agreement
- V. Keep your original packaging! In the event your machine must be shipped to our repair facility, there is no safer method to ensure that the machine will arrive intact and undamaged, than if it ships in its original box. Damages incurred during shipping, due to improper packaging, will be the customer's sole responsibility
- VI. You will be required to sign a service order disclaimer or other service order terms to obtain repairs or a replacement device. This service order disclaimer or other service order terms do not form a part of this warranty, and are a separate legal document
- VII. After securing permission to send in your machine, please insert your completed Repair Authorization Form inside the box and ship to:

XtoolUSA Warranty and Repair Center - 2895 W. Capovilla Ave. Suite 100B, Las Vegas, NV 89119

THE LIMITED MANUFACTURER'S WARRANTY IS EXPRESSLY GIVEN AND ACCEPTED IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, WITHOUT LIMITATION, ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. TO THE EXTENT THAT THEY CANNOT BE DISCLAIMED, THE IMPLIED WARRANTIES ARE LIMITED IN DURATION TO THE LIFE OF THE EXPRESS WARRANTY. XTOOLUSA® SHALL HAVE NO LIABILITY FOR INCIDENTAL AND CONSEQUENTIAL DAMAGES THAT ARISE FROM THE SALE OF XTOOLUSA® PRODUCTS OR ARE A RESULT OF A BREACH OF THE LIMITED MANUFACTURER'S WARRANTY REPRODUCED ABOVE. THE REMEDIES SET FORTH IN THE LIMITED MANUFACTURER'S WARRANTY ARE THE PURCHASER'S SOLE AND EXCLUSIVE REMEDIES, AND THE ENTIRE LIABILITY OF XTOOLUSA® FOR ANY BREACH OF THE LIMITED MANUFACTURER'S WARRANTY. SOME STATES/JURISDICTIONS DO NOT ALLOW FOR THE DISCLAIMERS, LIMITATIONS, AND EXCLUSIONS DESCRIBED ABOVE, AND AS A RESULT, THEY MAY NOT APPLY TO YOU. THIS WARRANTY GIVES YOU SPECIFIC RIGHTS, AND YOU MAY ALSO HAVE OTHER LEGAL RIGHTS WHICH MAY VARY FROM STATE TO STATE OR FROM ONE JURISDICTION TO ANOTHER. NO DISTRIBUTOR, DEALER, SALES REPRESENTATIVE NOR ANY OTHER PERSON HAS BEEN AUTHORIZED TO MAKE ANY AFFIRMATION, REPRESENTATION OR WARRANTY REGARDING THE PRODUCT, OTHER THAN THOSE CONTAINED IN THIS LIMITED MANUFACTURER'S WARRANTY, AND IF MADE, SHALL NOT BE ENFORCEABLE AGAINST XTOOLUSA®. XTOOLUSA® RESERVES THE RIGHT TO MODIFY THESE TERMS AND CONDITIONS AT ANY TIME, IT BEING UNDERSTOOD THAT SUCH MODIFICATION WILL NOT ALTER THE LIMITED MANUFACTURER'S WARRANTY CONDITIONS APPLICABLE TO THE PRODUCTS SOLD WHILE THESE TERMS AND CONDITIONS ARE IN EFFECT.

AutoProPAD G2

AutoProPAD G2

Turbo

Visit us at autopropad.com for the most current list of supported vehicles, videos, tech tips, tutorials, and so much more!

Technical support is also available by telephone for all AutoProPAD users with active subscriptions.

For crowdsourced programming assistance from members of the AutoProPAD community, including our official technical support staff, join us on Facebook! You'll also receive information on the very latest machine updates. facebook.com/groups/autopropad



XTOOL USA

2895 W Capovilla Ave, Suite 100B
Las Vegas, NV 89119
Service Hotline: (888) 988-6865
Email: info@XToolUSA.com
Website: www.autopropad.com